THE CANADIAN ENTOMOLOGIST

Index to Volume 136 (2004)

THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

Anderson RS, Korotyaev BA. Some Palearctic weevils in the subfamily Ceutorhynchinae (Coleoptera, Curculionidae) recently discovered in North America, 233
Archibald SB, Makarkin VN. New genus of minute Berothidae (Neuroptera) from Early Eocene amber of British Columbia, 61
Arella M. See Lucarotti *et al.*, 255
Auger P, Bonafos R, Kreiter S. Mancozeb resistance patterns among *Kampimodromus aberrans* and *Typhlodromus pyri* (Acari: Phytoseiidae) strains from French vineyards, 663
Baker RL, Leung B, Forbes MR. Diet of nymphs affects normal wing development in *Ischnura verticalis* (Odonata: Coenagrionidae), 749
Barr WB. See Pohl *et al.*, 733
Baselga A, Novoa F. Larvae of the *Gonioctena* subgenus *Spartoxena*: description of mature larvae of *G. leprieuri* and *G. aegrota* (Coleoptera: Chrysomelidae: Chrysomelinae), 313
Baur R. See Frey *et al.*, 771
Behan-Pelletier VM. See Chen *et al.*, 793
Berthiaume R. See Hébert *et al.*, 879
Bloxham AJ. See Messina and Bloxham, 129
Boiteau G. See MacQuarrie *et al.*, 109
Bonafos R. See Auger *et al.*, 663
Boone JW. See Taki *et al.*, 889
Bordeleau C. See Hébert *et al.*, 879
Borden JH. See Jeans Williams and Borden, 419
Boucher S. The New World fauna of the genus *Pseudonapomyza* (Diptera: Agromyzidae), 781
Bousquet Y, Webster R. Review of the Nearctic species of the Holarctic subgenus *Argutor* (Coleoptera: Carabidae), 645
Burckhardt D. See Sugaya *et al.*, 143
Carney VA, Rau J, Little SM, De Clerck-Floate RA. Rapid differentiation of the sexes of adult *Mecinus janthinus* (Coleoptera: Curculionidae) based on external leg morphology, 835
Chandler DS, Paquin P. A new species of the genus *Actium* (Coleoptera: Staphylinidae: Pselaphinae) from boreal old-growth forests of Quebec, Canada, 753
Chen J, Norton RA, Behan-Pelletier VM, Wang H-F. Analysis of the genus *Gymnodampia* (Acari: Oribatida), with redescription of *G. setata* and description of two new species from North America, 793
Clayton MR. See Marshall and Clayton, 695
Coady JR. See Dixon *et al.*, 427
Conder N. See Ebling *et al.*, 737
De Clerck-Floate RA. See Carney *et al.*, 835
Digweed SC, Langor DW. Distributions of leafmining sawflies (Hymenoptera: Tenthredinidae) on birch and alder in northwestern Canada, 727
Dixon PL, Coady JR, Larson DJ, Spaner D. Undersowing rutabaga with white clover: impact on *Delia radicum* (Diptera: Anthomyiidae) and its natural enemies, 427
Dosdall LM. See Kalischuk and Dosdall, 265
See Olfert *et al.*, 277
Dupont A. See Hébert *et al.*, 879
Ebling PM. See Ebling *et al.*, 737
See Lucarotti *et al.*, 255
Ebling PM, Otvos IS, Conder N. Comparative activity of three isolates of *Ld*MNPV against two strains of *Lymantria dispar*, 737
Eveleigh ES. See Lucarotti *et al.*, 255
Fields P. See Hou *et al.*, 581
Fitzpatrick SM, Troubridge JT, Maurice C. Pheromone released from polyvinyl chloride dispensers disrupts mate-finding and pheromone-source location by *Rhopobota naevana* (Lepidoptera: Tortricidae) in cranberries, 91
Floate KD. See Gibson and Floate, 407
Forbes MR. See Baker *et al.*, 749
Fownes SL. See Pohl *et al.*, 733
Frey B. See Frey *et al.*, 771
Frey JE, Frey B, Baur R. Molecular identification of the swede midge (Diptera: Cecidomyiidae), 771
Galloway TD. See Iranpour and Galloway, 43
See Iranpour *et al.*, 605
Gibson GAP, Floate KD. Filth fly parasitoids on dairy farms in Ontario and Quebec, Canada, 407
Gillespie DR, Sanchez Sanchez JA, McGregor RR. Cumulative temperature requirements and development thresholds in two populations of *Dicyphus hesperus* (Hemiptera: Miridae), 675
Gordon TR. See Storer *et al.*, 685

Gries G. See Jumean *et al.*, 871
Guertin C. See Lucarotti *et al.*, 255
Haack RA. See Zhang *et al.*, 719
Hance T. See Muratori *et al.*, 169
Hébert C, Jobin L, Berthiaume R, Mouton J-F, Dupont A, Bordeleau C. A new standard pupation shelter for sampling pupae and estimating mortality of the hemlock looper (Lepidoptera: Geometridae), 879
Hernández-Ortiz V. Two remarkable new species related to *Anastrepha tripunctata* (Diptera: Tephritidae) with a discussion of the affinities of the *cryptostrepha* group, 759
Higo HA. See Tommasi *et al.*, 851
Hou X, Fields P, Taylor W. Combination of protein-rich pea flour and pea extract with insecticides and enzyme inhibitors for control of stored-product beetles, 581
Howden AT. Review of the genus *Pandeleteius* (Coleoptera: Curculionidae) of northern South America and the Lesser Antilles, 181
Iranpour M, Galloway TD. Three new Nearctic species of *Telenomus* (Hymenoptera: Scelionidae) attacking Tabanidae eggs, 43
Iranpour M, Schurko AM, Klassen GR, Galloway TD. DNA fingerprinting of tabanids (Diptera: Tabanidae) and their respective egg masses using PCR – restriction fragment profiling, 605
Ishiwata S. See Tiunova *et al.*, 1
Jeans Williams NL, Borden JH. Response of *Dryocoetes confusus* and *D. autographus* (Coleoptera: Scolytidae) to enantiospecific pheromone baits, 419
Jobin L. See Hébert *et al.*, 879
Johnson NF. See Musetti and Johnson, 501
Judd GJR. See Jumean *et al.*, 871
Jumean Z, Rowland E, Judd GJR, Gries G. Male and female *Cydia pomonella* (Lepidoptera: Olethreutidae) larvae produce and respond to aggregation pheromone, 871
Jung M-P. See Kim *et al.*, 639
Kalischuk AR, Dosdall LM. Susceptibilities of seven Brassicaceae species to infestation by the cabbage seedpod weevil (Coleoptera: Curculionidae), 265
Kathirithamby J. See Moya-Raygoza *et al.*, 119
Kaupp WJ. See Lucarotti *et al.*, 255
Kevan PG. See Taki *et al.*, 889
Kim H-S. See Kim *et al.*, 639
Kim S-T, Jung M-P, Kim H-S, Lee J-H, Koo H-M. Two new species of litter-inhabiting spiders of the genus *Leptoneta* from Korea (Araneae: Leptonetidae), 639
Klassen GR. See Iranpour *et al.*, 605
Klimaszewski J, Pelletier G. Review of the *Ocalea* group of genera (Coleoptera, Staphylinidae, Aleocharinae) in Canada and Alaska: new taxa, bionomics, and distribution, 443
Kluge NJ. See Tiunova *et al.*, 1
Koo H-M. See Kim *et al.*, 639
Korotyaev BA. See Anderson and Korotyaev, 233
Kreiter S. See Auger *et al.*, 663
Lafontaine JD. See Lafontaine and Troubridge, 823
See Troubridge and Lafontaine, 299
Lafontaine JD, Troubridge JT. Description of a new genus and two new species of cutworm moths (Lepidoptera: Noctuidae), 823
Lamb RJ. See Smith and Lamb, 839
See Wise and Lamb, 77
Landolt PJ. See Yee and Landolt, 139
Landry B, Landry J-F. The genus *Alucita* in North America, with description of two new species (Lepidoptera: Alucitidae), 553
Landry J-F. See Landry and Landry, 553
Langor DW. See Digweed and Langor, 727
See Zhang *et al.*, 719
Larsen KJ. See Moya-Raygoza *et al.*, 119
Larson DJ. See Dixon *et al.*, 427
Lee J-H. See Kim *et al.*, 639
Le Lannic J. See Muratori *et al.*, 169
Leung B. See Baker *et al.*, 749
Little SM. See Carney *et al.*, 835
Lucarotti CJ, Eveleigh ES, Royama T, Morin B, McCarthy P, Ebling PM, Kaupp WJ, Guertin C, Arella M. Prevalence of baculoviruses in spruce budworm (Lepidoptera: Tortricidae) populations in New Brunswick, 255
MacQuarrie CJK, Boiteau G, Quiring D. Influence of wing loading on Colorado potato beetle flight, 109

Makarkin VN. See Archibald and Makarkin, 61
Marshall VG, Clayton MR. Biology and phenology of *Cecidophyopsis psilaspis* (Acari: Eriophyidae) on Pacific yew (Taxaceae), 695
Maruyama M. Redescription of the genus *Creochara* (Coleoptera: Staphylinidae: Aleocharinae: Aleocharini) and its systematic position, 621
Maurice C. See Fitzpatrick *et al.*, 91
McCarthy P. See Lucarotti *et al.*, 255
McGregor RR. See Gillespie *et al.*, 675
Messina FJ, Bloxham AJ. Plant resistance to the Russian wheat aphid: effects on a nontarget aphid and the role of induction, 129
Miro A. See Tommasi *et al.*, 851
Morin B. See Lucarotti *et al.*, 255
Mouton J-F. See Hébert *et al.*, 879
Moya-Raygoza G, Kathirithamby J, Larsen KJ. Dry season parasitoids of adult corn leafhoppers (Hemiptera: Cicadellidae) on irrigated maize in Mexico, 119
Muratori F, Le Lannic J, Nénon J-P, Hance T. Larval morphology and development of *Aphidius rhopalosiphi* (Hymenoptera: Braconidae: Aphidiinae), 169
Musetti L, Johnson NF. Revision of the New World species of the genus *Monomachus* Klug (Hymenoptera: Proctotrupoidea, Monomachidae), 501
Nealis VG, Régnière J. Fecundity and recruitment of eggs during outbreaks of the spruce budworm, 591
Nénon J-P. See Muratori *et al.*, 169
Nomura S. See Sugaya *et al.*, 143
Norton RA. See Chen *et al.*, 793
Novoa F. See Baselga and Novoa, 313
O'Hara JE. See Reeves and O'Hara, 661
Olfert O, Weiss RM, Woods S, Philip H, Dosdall L. Potential distribution and relative abundance of an invasive cereal crop pest, *Oulema melanopus* (Coleoptera: Chrysomelidae), in Canada, 277
Otvos IS. See Ebling *et al.*, 737
Paquin P. See Chandler and Paquin, 753
Pelletier G. See Klimaszewski and Pelletier, 443
Philip H. See Olfert *et al.*, 277
Pohl GR, Saunders C, Barr WB, Wartenbe MD, Fownes SL. *Caloptilia fraxinella* (Lepidoptera: Gracillariidae), a new pest of ash (Oleaceae: *Fraxinus* spp.) on the Canadian prairies, 733
Quiring D. See MacQuarrie *et al.*, 109
Rau J. See Carney *et al.*, 835
Raworth DA. Ecology and management of *Ericaphis fimbriata* (Hemiptera: Aphididae) in relation to the potential for spread of *Blueberry scorch virus*, 711
Reeves WK, O'Hara JE. First report of *Strongygaster triangulifera* (Diptera: Tachinidae) as a parasitoid of a cantharid beetle, *Chauliognathus pennsylvanicus* (Coleoptera: Cantharidae), 661
Régnière J. See Nealis and Régnière, 591
Rhainds M, Shipp L. Dispersal of adult western flower thrips (Thysanoptera: Thripidae) in greenhouse crops, 241
Roitberg BD. From parasitoid behavior to biological control: applied behavioral ecology, 289
Rowland E. See Jumean *et al.*, 871
Royama T. See Lucarotti *et al.*, 255
Sanchez Sanchez JA. See Gillespie *et al.*, 675
Saunders C. See Pohl *et al.*, 733
Schurko AM. See Iranpour *et al.*, 605
Sheffield CS. See Taki *et al.*, 889
Shipp L. See Rhainds and Shipp, 241
Silva FO. See Taki *et al.*, 889
Smith MAH, Lamb RJ. Causes of variation in body size and consequences for the life history of *Sitodiplosis mosellana*, 839
Spaner D. See Dixon *et al.*, 427
Storer AJ, Wood DL, Gordon TR. Twig beetles, *Pityophthorus* spp. (Coleoptera: Scolytidae), as vectors of the pitch canker pathogen in California, 685
Sugaya H, Nomura S, Burckhardt D. Revision of the East Asian *Plagiophorus hispidus* species group (Coleoptera: Staphylinidae, Pselaphinae, Cyathigerini), 143
Taki H, Boone JW, Viana BF, Silva FO, Kevan PG, Sheffield CS. Effect of shading on trap nest utilization by hole-nesting aculeate Hymenoptera, 889
Taylor W. See Hou *et al.*, 581
Tiunova TM, Kluge NJ, Ishiwata S. Revision of the East Palaearctic genus *Isonychia* (Ephemeroptera: Isonychiidae), 1

Tommasi D, Miro A, Higo HA, Winston ML. Bee diversity and abundance in an urban setting, 851
Troubridge JT. See Fitzpatrick *et al.*, 91
See Lafontaine and Troubridge, 823
See Troubridge and Lafontaine, 299
Troubridge JT, Lafontaine JD. Revision of the genus *Hyppa* (Lepidoptera: Noctuidae) with description of a new species, 299
van Frankenhuyzen K. See Villedieu and van Frankenhuyzen, 875
Viana BF. See Taki *et al.*, 889
Villedieu Y, van Frankenhuyzen K. Epizootic occurrence of *Entomophaga maimaiga* at the leading edge of an expanding population of the gypsy moth (Lepidoptera: Lymantriidae) in north-central Ontario, 875
Wang H-F. See Chen *et al.*, 793
Wartenbe MD. See Pohl *et al.*, 733
Webster R. See Bousquet and Webster, 645
Weiss RM. See Olfert *et al.*, 277
Winston ML. See Tommasi *et al.*, 851
Wise IL, Lamb RJ. Diapause and emergence of *Sitodiplosis mosellana* (Diptera: Cecidomyiidae) and its parasitoid *Macroglenes penetrans* (Hymenoptera: Pteromalidae), 77
Wood DL. See Storer *et al.*, 685
Woods S. See Olfert *et al.*, 277
Ye H. See Zhang *et al.*, 719
Yee WL, Landolt PJ. Responses of apple maggot (Diptera: Tephritidae) to ammonium hydroxide lures, 139
Yoder MJ. Revision of the North American species of the genus *Entomacis* (Hymenoptera: Diapriidae), 323
Zhang H, Ye H, Haack RA, Langor DW. Biology of *Pissodes yunnanensis* (Coleoptera: Curculionidae), a pest of Yunnan pine in southwestern China, 719